

Frequency Analyser: A New Android Application for High Precision Frequency Measurement

JOSÉ A. GÓMEZ-TEJEDOR,¹ JUAN C. CASTRO-PALACIO,² JUAN A. MONSORIU³

¹Centre for Biomaterials and Tissue Engineering, CBIT, Universitat Politècnica de València, Camí de Vera s/n 46022, Valencia, Spain

²Department of Chemistry, University of Basel, Klingelbergstrasse 80, Basel CH-4056, Switzerland

³Centro de Tecnologías Físicas, Universitat Politècnica de València, Camí de Vera s/n 46022, València, Spain

ABSTRACT: We present *Frequency Analyser*, an Android™ application for measuring the fundamental frequency of a sound wave with very high precision in a frequency range between 100 Hz and 11 kHz. The application allows exporting the data of frequency as a function of time to an ASCII file. Several examples of application to Physics and Engineering teaching experiments are presented. © 2015 Wiley Periodicals, Inc. *Comput Appl Eng Educ* 23:471–476, 2015; View this article online at wileyonlinelibrary.com/journal/cae; DOI 10.1002/cae.21618

Keywords: frequency analyser; sound wave; Physics teaching; Engineering teaching

INTRODUCTION

Acoustics is the science that deals with the study of sound waves and finds a wide range of technological applications nowadays. For this reason, this is an important topic which is included in Physics and Engineering syllabi. In this respect, many innovations related to Acoustics in Physics and Engineering teaching have been reported in the literature. For instance, in Ref. [1], three audio processors are evaluated to implement laboratory activities on Acoustics and in Ref. [2] Virtual Sound Laboratories are used for Acoustics teaching.

In recent years, there has been a growing interest in using smartphones in undergraduate teaching experiments [3–8]. In line with this, we present here an Android application to measure the fundamental frequency of a sound wave with very high precision and also capable to record and export the output values of the frequency versus time to an ASCII file for further processing. In GooglePlay™ repository (<https://play.google.com>) various software applications for spectrum analysis can

be found. These include AudioSpectrumMonitor, Real-time Audio Analyzer Free, Waterfall Spectrum Analyzer, Speedy Spectrum Analyzer, SPL and Spectrum Analyser, and SpectralPro, among others. However, none of them is able neither to measure the fundamental frequency of sound with high precision nor to register the results as a function of time for later processing. This is the reason that has motivated us to develop a new tool capable to detect the fundamental frequency of a sound wave with a precision of less than 0.02% of relative error for a wide frequency range and to sample the frequency as a function of time. This application is free and can be downloaded from GooglePlay repository under the name “Frequency Analyzer” [9]. It can run on any device bearing Android operating system and with a microphone incorporated, e.g., a tablet or smartphone.

The outline of the article is the following. In section Frequency Analyzer Application for Android, the general features of the application “Frequency Analyzer” are explained. In section Applications, several examples of applications to Physics and Engineering teaching are introduced. The latter includes the determination of the frequency of a set of eight tuning forks and of the main frequencies of the central keys of a piano keyboard, and the measurement of the frequency as a function of time in a frequency-modulated sound wave. Finally, in section Conclusion, some conclusions are drawn.

Correspondence to J. A. Monsoriu (jmonsori@fis.upv.es).



Figure 1 Snapshots of the Frequency Analyzer application, (a) at the start-up of the application, (b) in the process of recording data, (c) in the process of making calculations, and (d) result for one of the measurements. [Color figure can be viewed in the online issue, which is available at [wileyonlinelibrary](#)].




Figure 2 Example of the sound registered by the mobile phone in an arbitrary measurement. [Color figure can be viewed in the online issue, which is available at [wileyonlinelibrary](#)].

Frequency Analyzer Application for Android

In Figure 1, several snapshots of Frequency analyzer application are shown. Figure 1a shows the start-up of the application. The small number in the right-top corner of the screen is related with the intensity of the sound in a scale between 0 and 40. In order to have a good recording, a value of this number greater than 20 is required. Upon pressing the “Start” button of the application, the sound waves received at the microphone start being recorded. The maximum sampling frequency supported by the hardware containing the application is used, typically 44100 Hz for most devices nowadays. During this process the word “Rec.ing” appears on the device screen, as can be seen in Figure 1b. An example of the signal recorded by the mobile phone is shown in Figure 2. As for a better clarity, only a time interval of 0.01 s is shown, which corresponds to approximately four times of the period of oscillation of the sound wave.

Once the “Stop” button is pressed, data treatment starts. First, a Fast Fourier Transform (FFT) is applied [10,11] to detect the fundamental frequency of the recorded sound. In this first analysis, the frequency is not measured with very high precision however a first approximated value necessary for the next step is obtained. In the previous example, the fundamental frequency was 440 Hz (Fig. 3) and other harmonic frequencies at higher frequencies could be also observed. When this first calculation finishes, the result information appears on the device screen, and the first digits of the measured frequency are shown, i.e. “44*.** Hz” for this example (Fig. 1c).

Following this step, two second order Butterworth filters are applied around the fundamental frequency [12,13]. One of them

consisted of a low-pass filter with a cutoff frequency that equals the fundamental frequency plus a 3% and a high-pass filter with a cutoff frequency which equals the fundamental frequency minus a 3%. This is the way to eliminate the undesired harmonics from the signal. In Figure 4, the resulting signal from applying the filters to the initial signal in Figure 2 is shown. Later on, the signal is treated




Figure 3 Fast Fourier Transform of the signal registered by the device. The main frequency can be observed at 440 Hz. Other harmonics at higher frequencies are also observed in the signal. [Color figure can be viewed in the online issue, which is available at [wileyonlinelibrary](#)].




Figure 4 Resulting signal after applying the second order Butterworth filter around the main frequency. [Color figure can be viewed in the online issue, which is available at wileyonlinelibrary].

by intervals of 0.1 s. In each interval, the half of the period is determined by measuring the time elapsed between two continuous crossings through zero amplitude line and by averaging the result over the time interval. The inverse of the calculated period is the measured frequency. As for the example in previous figures, a value of (440.02 ± 0.06) Hz is obtained for the frequency, as shown in Figure 1d. The relative error in this result is obtained from the standard deviation of the measured data over the time interval. The signal emitted by the speaker was at 440 Hz, yielding a discrepancy with respect to our results of only 0.02 Hz (0.005%).

In addition, a graphical representation of the measured frequency as a function of time is shown on the device screen. This representation is useful since it gives qualitative information about the quality of the measurement. For instance, Figure 1d indicates the high quality of the measurement since the measured frequency remains almost constant with time. Fluctuations in the graph indicate the existence of errors in the measurement. These errors may come from different sources, such as environmental noise, or low volume reception by the microphone. Furthermore, the graphical representation is useful when the interest is to follow the evolution of the frequency with time. After all calculations are done, the file containing the sound recording is erased from the system memory card. The data file containing the frequency as a function of time is saved out to the sd-card, specifically to the folder/mnt/sdcard/Android/data/fqan.frequencyanalyzer/files/. The time required to compute the results depends on the model of tablet or smartphone used and on the duration of the recording. We used a smartphone model Samsung Galaxy Mini GT-S5570 equipped with Processor Qualcomm MSM7227/ARM1136EJ-S 600 MHz and 384 Mb of RAM memory, which takes about 1 second per second of recording. In more modern devices, this time may be even smaller, what allows for the development of applications performing the calculations in real time. Even though, we have preferred the variant of recording the data for an ulterior treatment. This allows our application to run on any device using Android as operating system and not necessarily on a device with a high CPU speed.

The right functioning of the application was proved by measuring the frequency of a single-frequency sound generated by means of a speaker connected to a function generator (Agilent 33120 A). In Figure 5, the difference between the measured frequency and the real frequency is shown as a function of the sound frequency between 100 Hz and 11 kHz. For 100 Hz, the application yields a measured value of 100.15 Hz, which




Figure 5 Difference between the measured and the real frequency, as a function of the sound frequency. [Color figure can be viewed in the online issue, which is available at wileyonlinelibrary].

corresponds to a discrepancy of 0.15%. For higher frequencies, the discrepancy decreases very fast to a value smaller than 0.008% in the frequency range between 250 Hz and 9400 Hz. From this frequency up to a frequency of 11000 Hz, the discrepancy has a slightly random behavior. In some cases the results fall within a discrepancy range between 0.02% and 0.04%, and in other cases, a very small discrepancy is obtained.

Applications

In this section, three examples of application of “Frequency Analyzer” Android app. suitable for Physics and Engineering teaching are presented. First, the measurement of the frequency of eight tuning forks is performed and compared to the data provided by the manufacturer. The same measurement is carried out in the second experiment with the central keys of a piano keyboard. In the third, the frequency as a function of time is measured in a frequency-modulated sound wave.

Tuning Fork. In this experiment, the values reported by the manufacturer for a set of eight tuning forks are compared to the values measured with Frequency Analyzer application (see Fig. 6). The results have been registered in Table 1. It can be seen that the percentages of discrepancy with respect to the manufacturer’s value are less than 0.35% in all cases.




Figure 6 Set of tuning forks used in the experiments. [Color figure can be viewed in the online issue, which is available at wileyonlinelibrary].

Table 1 The Manufacturer’s Reported Values for the Frequency of 8 Tuning Forks are Registered in Column 2

Note	Manufacturers reported value (Hz)	Experimental value (Hz)	Measurement error (Hz)	Discrepancy (%)
c1	256	256.42	0.02	0.16
d1	288	287.94	0.01	0.02
e1	320	320.97	0.03	0.30
f1	341 1/3	341.70	0.06	0.11
g1	384	385.35	0.04	0.35
a1	426 2/3	425.52	0.08	0.27
h1	480	480.63	0.04	0.13
c2	512	512.58	0.07	0.11

As for comparison, the experimental values obtained with “frequency analyzer” app. are included in column 3. The measurement errors and the percentage discrepancies are incorporated in the last two columns, respectively.

Frequency of the Central Keys of a Piano. The frequencies of the keys of the central part of a piano keyboard have been measured using the “Frequency Analyzer” app (Fig. 7). The results are registered in Table 2 comparatively with their corresponding note frequencies. The percentages of discrepancy are smaller than 1.75% for all cases indicating the quality of the measurements. Note that this app. has been designed only for educational purposes for the first courses of Physics and Engineering. It is possible to obtain the frequencies with higher precision with professional tuners.




Figure 7 Photograph taken during the measurement of the frequencies of the central keys of the piano keyboard. [Color figure can be viewed in the online issue, which is available at wileyonlinelibrary].

Table 2 The Note Frequencies of the Central Keys of a Piano are Registered in Column 2

Note	Note frequency (Hz)	Experimental value (Hz)	Measurement error (Hz)	Discrepancy (%)
C4	261.63	260.0	0.5	0.62
D	293.67	290.3	0.3	1.15
E	329.63	326.8	0.4	0.86
F	349.23	346.1	1.2	0.90
G	392.00	387.8	0.8	1.07
A	440.00	432.3	0.4	1.75
B	493.88	485.6	0.3	1.68

As for comparison, the experimental values obtained with “frequency analyzer” app. are included in column 3. The measurement errors and the percentage discrepancies are incorporated in the last two columns, respectively.

Frequency Modulation. In this experiment, we have generated a frequency-modulated sound signal by means of a speaker connected to a frequency generator, with a sinusoidal carrier sound wave of 3 kHz and modulated by a sinusoidal signal of frequency 1 Hz, and amplitude of 20 Hz. We have repeated the experiment also for a modulated amplitude of 40 Hz. Then, the sound frequency as a function of time is given by,

$$f(t) = f_0 + A \sin(2\pi f_{mf} t + \phi_0) \tag{1}$$

where f_0 is the frequency of the sinusoidal carrier, A is the amplitude of the modulation, f_{mf} is the modulation frequency (mf), and ϕ_0 is the initial phase. We have measured the frequency as a function of time with the Frequency Analyzer application. In Figure 8, the measured results (points) along with the fit to the previous equation, for 20 and 40 Hz as values of the modulated frequency can be seen. The fit was carried out using the chi-squared method. All calculations were performed using Mathematica[®] software. In both cases, a very good agreement between the measured data and the data obtained with the theoretical equation (Eq. 1) is obtained. In Table 3 the parameters of the fit are shown. A good agreement between the obtained parameter and the expected value is achieved. The error of the fit is very small.

CONCLUSIONS

The capabilities of the “Frequency Analyzer” Android app. have been presented. The effectiveness of this app. in measuring the fundamental frequency of sound has been proved by means of three simple examples. In the first, the comparison of the manufacture’s reported values for the frequency have been compared to the experimental values in the case of 8 tuning forks. The percentage discrepancies of less than 0.35% indicate the high quality of these measurements using a smartphone. In the second, the frequency of the central keys of a piano has been measured. In this case, the discrepancies with respect to the piano key note frequencies are greater than in the first example. In our opinion, the reason for this may be that the piano was not properly tuned. Finally, in a third example, the frequency as a function of time is measured for a frequency-modulated sound wave. A very good agreement between the measured (fitted) and theoretical data was obtained. This application was successfully applied in Ref. [5] to study the frequency shift in the Doppler Effect.




Figure 8 Measured frequency as a function of time for a modulated amplitude of 20 Hz (panel a) and 40 Hz (panel b). Circles correspond to the measured data, and lines to the results from the theoretical equation. [Color figure can be viewed in the online issue, which is available at wileyonlinelibrary].

Table 3 Parameters Obtained From the Fitting to Equation 1

Parameter	Expected value	20 Hz experiment	40 Hz experiment
f_0 (Hz)	3000	3000.09 ± 0.03	3000.10 ± 0.07
A (Hz)	20 and 40	19.68 ± 0.05	39.425 ± 0.010
f_{mf} (Hz)	1	0.99961 ± 0.00016	1.00016 ± 0.00018
φ_0 (rad)	–	3.790 ± 0.005	2.601 ± 0.005

Results from taking 20 and 40 hz as values of the modulated frequency are shown in the last two columns.

On the other hand, a teaching laboratory experiment which includes the examples presented in this work is currently included in the topic of Mechanical Waves of the Physics course for Electronic Engineering at the Polytechnic University of Valencia, Spain. It is interesting to point out that 95% of the students bear a smartphone and a 100% of them were interested in installing “Frequency Analyzer” Android app in their devices. The validation of the frequencies of the piano (located at the Events Hall of the University) and the study of a frequency-modulated sound in Physics laboratory were the most motivating examples. Results indicate that the “Frequency Analyzer” Android app. can find diverse and suitable applications in Physics and Engineering teaching experiments.

ACKNOWLEDGMENTS

The authors would like to thank the Institute of Education Sciences, Universitat Politècnica de València (Spain), for the support of the Teaching Innovation Groups, MoMa and e-MACAFI.

REFERENCES

[1] A. Pejuan, X. Bohigas, X. Jaén, and C. Periago, Comparative study of three audio processors as environments for laboratory activities on

wave physics and acoustics, *Comput Appl Eng Educ* 21 (2013), E89–E99.

[2] P. Martínez-Jiménez, M. Varo, M. C. García, G. Pedrós, J. M. Pérez, R. Martínez-Jiménez, E. P. Posadillo, and Varo-Martínez, Virtual web sound laboratories as an educational tool in physics teaching in engineering, *Comput Appl Eng Educ* 19 (2011), 759–769.

[3] I. Boticki, A. Barisic, and S. Martin, Drljevic, *Comput Appl Eng Educ* 21 (2013), E41–E50.

[4] M. C. Rodríguez-Sánchez, J. A. Hernández-Tamames, and S. Borromeo, An embedded system course using JavaME and Android, *Comput Appl Eng Educ* Published online in Wiley Online Library; DOI: 10.1002/cae.21599

[5] J. A. Gómez-Tejedor, J. C. Castro-Palacio, and J. A. Monsoriu, The acoustic Doppler effect applied to the study of linear motions, *Eur J Phys* 35 (2014), 025006. DOI: 10.1088/0143-0807/35/2/025006

[6] J. C. Castro-Palacio, L. Velazquez-Abad, M. H. Gimenez, and J. A. Monsoriu, Using a mobile phone acceleration sensor in physics experiments on free and damped harmonic oscillations, *Am J Phys* 81 (2013), 472–475. DOI: 10.1119/1.4793438

[7] J. C. Castro-Palacio, L. Velazquez-Abad, F. Gimenez, and J. A. Monsoriu, A quantitative analysis of coupled oscillations using mobile accelerometer sensors, *Eur J Phys* 10 (2013), 737–744. DOI: 10.1088/0143-0807/34/3/737

[8] J. A. Sanz, F. J. Manjon, A. L. J. Pereira, J. A. Gomez-Tejedor, and J. A. Monsoriu, Oscillations studied with the smartphone ambient light sensor, *Eur J Phys* 34 (2013), 1349–1354. DOI: 10.1088/0143-0807/34/6/1349

[9] J. A. Gómez-Tejedor, Frequency Analyzer. Retrieved May 22, 2014, from <https://play.google.com/store/apps/details?id=fqan.frequencyanalyzer>.

[10] W. H. S. A. Teukolsky, W. T. Vetterling, and B. P. Flannery, Numerical recipes, the art of scientific computing, Chapter 12, 3rd Ed. Cambridge University Press, New York, 2007.

[11] C. H. Chen and H. C. Lin, A distance e-learning platform for signal analysis and measurement using FFT, *Comput Appl Eng Educ* 19 (2011), 71–80.

[12] S. Butterworth, On the theory of filter amplifiers, *exp Wirel and the Wirel Engineer* 7 (1930), 536–541.

[13] B. Baker, A baker’s dozen: Real analog solutions for digital designers, Chapter 4. Elsevier, Oxford, 2005.

BIOGRAPHIES



José A. Gómez-Tejedor received a PhD in theoretical physics in 1995. Since then, he has taught physics for engineers at the Universitat Politècnica de València. In recent years he has been working on polymer physics and biomaterials. He is also interested in applying information and communications technology to improve education and training systems.



Juan C. Castro-Palacio received his physics PhD from the Higher Institute of Technologies and Applied Sciences in Havana, Cuba in 2008. From 2007 to 2009 he was a postdoctoral researcher at the Department of Chemical System Engineering, University of Tokyo. From 2010-12, he worked on international cooperation projects for the Universitat Politècnica de València, Spain in relation to the University of Pinar del Río, Cuba. Since

2013 he has been an assistant researcher at the Department of Chemistry, University of Basel, Switzerland. His research interests include the microscopic modelling of the dynamics of molecular systems.



Juan A. Monsoriu was born in Valencia, Spain, in 1975. He received the BS degree in Physics, MS degree in Optics, and PhD degree in Physics from the Universitat de València (UV), Spain, in 1998, 2000, and 2003, respectively. In 2000 he joined the Universitat Politècnica de València (UPV), Spain, where he is currently full professor of Applied Physics. His research was performed at UV, UPV, Universidad de Málaga (Spain), University of Bath (UK), and

Universidad de Buenos Aires (Argentina). His main research interests include the area of numerical simulations for the design of diffractive optical elements, microstructured optoelectronic systems, and aperiodic optical devices.